Vietnam Tariff Intelligence

# HS 8415 detail

| | |
|---|---|
| **HS code** | 8415 |
| **Description** | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated |
| **Unit** | |
| **Generated** | 03/11/2026 07:12:51 |
| **Data version** | 2026.04.05 – BIEU THUE XNK 2026.04.05.xlsx |
| **Verification status** | Tariff data checked against the source file; advice/mappings are indicative; FTA eligibility not verified. |
| **Link** | https://mail.vietnamtariff.com/hs-code/8415/ |

## 49 tariff lines under 8415

| HS code | Description | Unit | Ordinary import duty | MFN | VAT |
|---|---|---|---|---|---|
| 8415.10.20 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind designed to be fixed to a window, wall, ceiling or floor, self-contained or “split-system”: / - - Of a cooling capacity not exceeding 21.10 kW | chiếc | 45% | 30% | 10 / 8 (several rates) |
| 8415.10.30 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind designed to be fixed to a window, wall, ceiling or floor, self-contained or “split-system”: / - - Of a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW | chiếc | 45% | 30% | 10 / 8 (several rates) |
| 8415.10.90 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind designed to be fixed to a window, wall, ceiling or floor, self-contained or “split-system”: / - - Other | chiếc | 30% | 20% | 10 / 8 (several rates) |
| 8415.20.10 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind used for persons, in motor vehicles: / - - Of a cooling capacity not exceeding 26.38 kW | chiếc | 37.5% | 25% | 10 / 8 (several rates) |
| 8415.20.90 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind used for persons, in motor vehicles: / - - Other | chiếc | 25.5% | 17% | 10 / 8 (several rates) |

| HS code | Description | Unit | Ordinary import duty | MFN | VAT |
|---|---|---|---|---|---|
| 8415.81.11 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in aircraft: / - - - - Of a cooling capacity not exceeding 21.10 kW | chiếc | 5% | 0% | 10 / 8 (several rates) |
| 8415.81.12 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in aircraft: / - - - - Of a cooling capacity exceeding 21.10 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min | chiếc | 5% | 0% | 10 / 8 (several rates) |
| 8415.81.19 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in aircraft: / - - - - Other | chiếc | 5% | 0% | 10 / 8 (several rates) |
| 8415.81.21 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in railway rolling stock: / - - - - Of a cooling capacity not exceeding 26.38 kW | chiếc | 37.5% | 25% | 10 / 8 (several rates) |
| 8415.81.29 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in railway rolling stock: / - - - - Other | chiếc | 25.5% | 17% | 10 / 8 (several rates) |
| 8415.81.31 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Of a cooling capacity not exceeding 26.38 kW | chiếc | 37.5% | 25% | 10 / 8 (several rates) |
| 8415.81.39 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Other | chiếc | 25.5% | 17% | 10 / 8 (several rates) |
| 8415.81.95 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Of a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min | chiếc | 25.5% | 17% | 10 / 8 (several rates) |

| HS code | Description | Unit | Ordinary import duty | MFN | VAT |
|---|---|---|---|---|---|
| 8415.81.96 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Of a cooling capacity exceeding 26.38 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min | chiếc | 25.5% | 17% | 10 / 8 (several rates) |
| 8415.81.97 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Other: / - - - - - Of a cooling capacity not exceeding 21.10 kW | chiếc | 37.5% | 25% | 10 / 8 (several rates) |
| 8415.81.98 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Other: / - - - - - Of a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW | chiếc | 37.5% | 25% | 10 / 8 (several rates) |
| 8415.81.99 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Other: / - - - - - Other | chiếc | 30% | 20% | 10 / 8 (several rates) |
| 8415.82.11 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in aircraft: / - - - - Of a cooling capacity exceeding 21.10 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min | chiếc | 5% | 0% | 10 / 8 (several rates) |
| 8415.82.19 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in aircraft: / - - - - Other | chiếc | 5% | 0% | 10 / 8 (several rates) |
| 8415.82.21 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in railway rolling stock: / - - - - Of a cooling capacity not exceeding 26.38 kW | chiếc | 40.5% | 27% | 10 / 8 (several rates) |
| 8415.82.29 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in railway rolling stock: / - - - - Other | chiếc | 22.5% | 15% | 10 / 8 (several rates) |

| HS code | Description | Unit | Ordinary import duty | MFN | VAT |
|---|---|---|---|---|---|
| 8415.82.31 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Of a cooling capacity not exceeding 26.38 kW | chiếc | 40.5% | 27% | 10 / 8 (several rates) |
| 8415.82.39 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Other | chiếc | 22.5% | 15% | 10 / 8 (several rates) |
| 8415.82.91 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Other: / - - - - Of a cooling capacity not exceeding 26.38 kW | chiếc | 40.5% | 27% | 10 / 8 (several rates) |
| 8415.82.99 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Other: / - - - - Other | chiếc | 22.5% | 15% | 10 / 8 (several rates) |
| 8415.83.11 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in aircraft: / - - - - Of a cooling capacity exceeding 21.10 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min | chiếc | 5% | 0% | 10 / 8 (several rates) |
| 8415.83.19 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in aircraft: / - - - - Other | chiếc | 5% | 0% | 10 / 8 (several rates) |
| 8415.83.21 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in railway rolling stock: / - - - - Of a cooling capacity not exceeding 26.38 kW | chiếc | 37.5% | 25% | 10 / 8 (several rates) |
| 8415.83.29 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in railway rolling stock: / - - - - Other | chiếc | 25.5% | 17% | 10 / 8 (several rates) |
| 8415.83.31 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Of a cooling capacity not exceeding 26.38 kW | chiếc | 37.5% | 25% | 10 / 8 (several rates) |

| HS code | Description | Unit | Ordinary import duty | MFN | VAT |
|---|---|---|---|---|---|
| 8415.83.39 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Other | chiếc | 25.5% | 17% | 10 / 8 (several rates) |
| 8415.83.91 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Other: / - - - - Of a cooling capacity not exceeding 26.38 kW | chiếc | 37.5% | 25% | 10 / 8 (several rates) |
| 8415.83.99 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Other: / - - - - Other | chiếc | 25.5% | 17% | 10 / 8 (several rates) |
| 8415.90.13 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity not exceeding 21.10 kW: / - - - Of a kind used in aircraft or railway rolling stock | chiếc | 5% | 0% | 8 / 10 (several rates) |
| 8415.90.14 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity not exceeding 21.10 kW: / - - - Evaporators or condensers for air conditioning machines for motor vehicles | chiếc | 7.5% | 5% | 8 / 10 (several rates) |
| 8415.90.15 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity not exceeding 21.10 kW: / - - - Chassis, welded and painted, other than of subheading 8415.90.13 | chiếc | 4.5% | 3% | 8 / 10 (several rates) |
| 8415.90.19 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity not exceeding 21.10 kW: / - - - Other | chiếc | 4.5% | 3% | 8 / 10 (several rates) |
| 8415.90.24 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Of a kind used in aircraft or railway rolling stock | chiếc | 5% | 0% | 8 / 10 (several rates) |
| 8415.90.25 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Other | chiếc | 4.5% | 3% | 8 / 10 (several rates) |

| HS code | Description | Unit | Ordinary import duty | MFN | VAT |
|---|---|---|---|---|---|
| 8415.90.26 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW: / - - - Other: / - - - - Of a kind used in aircraft or railway rolling stock | chiếc | 5% | 0% | 8 / 10 (several rates) |
| 8415.90.29 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW: / - - - Other: / - - - - Other | chiếc | 4.5% | 3% | 8 / 10 (several rates) |
| 8415.90.34 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 26.38 kW but not exceeding 52.75 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Of a kind used in aircraft or railway rolling stock | chiếc | 5% | 0% | 8 / 10 (several rates) |
| 8415.90.35 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 26.38 kW but not exceeding 52.75 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Other | chiếc | 4.5% | 3% | 8 / 10 (several rates) |
| 8415.90.36 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 26.38 kW but not exceeding 52.75 kW: / - - - Other: / - - - - Of a kind used in aircraft or railway rolling stock | chiếc | 5% | 0% | 8 / 10 (several rates) |
| 8415.90.39 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 26.38 kW but not exceeding 52.75 kW: / - - - Other: / - - - - Other | chiếc | 4.5% | 3% | 8 / 10 (several rates) |
| 8415.90.44 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 52.75 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Of a kind used in aircraft or railway rolling stock | chiếc | 5% | 0% | 8 / 10 (several rates) |
| 8415.90.45 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 52.75 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Other | chiếc | 4.5% | 3% | 8 / 10 (several rates) |

| HS code | Description | Unit | Ordinary import duty | MFN | VAT |
|---|---|---|---|---|---|
| 8415.90.46 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 52.75 kW: / - - - Other: / - - - - Of a kind used in aircraft or railway rolling stock | chiếc | 5% | 0% | 8 / 10 (several rates) |
| 8415.90.49 | Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 52.75 kW: / - - - Other: / - - - - Other | chiếc | 4.5% | 3% | 8 / 10 (several rates) |

This report is for reference, generated from the source tariff data and advisory rules. It is not a customs decision and does not confirm HS classification, FTA eligibility or legal validity. Users must verify against current legislation.